



OnCommand® Insight 7.2.3

Installation Guide

For Red Hat® Enterprise Linux®

October 2016 | 215-11626_A0
doccomments@netapp.com



Contents

- OnCommand Insight overview 5**
 - Insight architecture 5
 - Insight Data Warehouse architecture 6
 - Firewall-friendly architecture 6
 - How Insight is used by administrators, managers, and planners 7
 - Where to find more information about OnCommand Insight 8
- Installation prerequisites 9**
 - Planning the deployment 9
 - Data source support information 9
 - Device identification and data source planning 9
 - Network traffic generated by OnCommand Insight 10
 - Uninstalling MariaDB 10
 - Insight Server requirements 11
 - Data Warehouse server requirements 13
 - Remote Acquisition Unit server requirements 13
 - Ethernet Monitoring Unit requirements 14
 - Anomaly detection requirements 15
 - Insight Java UI requirements 16
 - Browsers supported by OnCommand Insight 16
- Insight installation instructions 17**
 - Downloading the OnCommand Insight installer 17
 - Installing OnCommand Insight components 17
 - Installing the OnCommand Insight Server 18
 - Installing OnCommand Insight Data Warehouse 18
 - Installing a Remote Acquisition Unit 19
 - Validating the remote acquisition unit installation 20
 - Installing the anomaly detection software 20
 - Installing an Ethernet Monitoring Unit 21
 - Checking the installation 21
 - Verifying that new Insight components are installed 22
 - Insight logs 22
 - Troubleshooting installations 22
 - Missing licenses 22
 - Submitting an online technical support request 23
- Upgrading Insight 24**
 - Upgrading Insight Server software 24
 - Upgrading from an earlier version of Insight to 7.2 24
 - Migrating from Windows to Linux 25
 - Upgrading Insight to a version later than 7.2 25
 - Upgrading the anomaly detection engine 26
- Uninstalling OnCommand Insight 27**

Uninstalling the OnCommand Insight Server	27
Uninstalling Data Warehouse	27
Uninstalling a Remote Acquisition Unit	28
Copyright information	29
Trademark information	30
How to send comments about documentation and receive update notifications	31
Index	32

OnCommand Insight overview


OnCommand Insight enables you to simplify operational management of complex private and hybrid cloud and virtual IT environments. Insight is a single solution to enable cross-domain, multi-vendor resource management and analysis across networks, storage, and servers in physical and virtual environments.

Insight provides a “single pane of glass” for reporting on storage costs and provides the transparency needed to make decisions about performance and efficiency.

Insight architecture

OnCommand Insight enables you to administer your product easily, using a streamlined system architecture that includes the Insight Server, a collection engine, web-based and Java UIs, and data warehousing.

The major components of the Insight architecture are shown in this diagram and described after it:



OnCommand Insight Server

The OnCommand Insight Server is the “brain” of the application. It includes main data repository and analysis components. The server is continuously building an end-to-end topology of the environment, analyzing it, and generating alerts when an incident or violation is detected.

Acquisition units

The Insight collection engine is built of one or more acquisition units. Each acquisition unit is a service running in the network that accesses (through modules called *data sources*) and collects data from different devices in the data center. Information collected by the acquisition units is then sent to the server (in an XML, JSON, or native Java format) for analysis.

The collection engine is designed to be highly modular and easily patched.

Web UI

The HTML5 web-based user interface (UI) for Insight enables you to set up your monitoring environment and data sources. You then use the web UI Asset Dashboard and asset pages to identify and research potential problems.

Java UI

This is the OnCommand Insight user interface (UI) or Client. You can use the Java UI to research issues like Fibre Channel mappings in your environment.

Data Warehouse (DWH)

Consolidates and prepares data for reporting for one or multiple installations of Insight. This includes history, trending, inventory, chargeback, show back and presenting the data in different ways to enable long-term planning of the data center's infrastructure.

IBM Cognos


This software is a reporting engine that provides a user interface for creating enterprise-level reports.

Note: If you install Insight on a Linux server, you can only use Cognos if the Data Warehouse is installed on a Windows server. For information about installing the Data Warehouse on Windows, refer to the *OnCommand Insight Installation Guide for Microsoft Windows*.

Insight Data Warehouse architecture

In a large environment, the OnCommand Insight Data Warehouse (DWH) consolidates data across different installations and hence different Insight data centers.

As shown in this diagram, the architecture enables users to view their entire environment and generate meaningful reports through a “single pane of glass” interface:




Note: If you install Insight on a Linux server, you can use Cognos only if the Data Warehouse is installed on a Windows server. For information about installing the Data Warehouse on Windows, refer to the *OnCommand Insight Installation Guide for Microsoft Windows*.

Firewall-friendly architecture

The OnCommand Insight architecture enables you to easily create firewalls around the product so that your assets are more secure.

As shown in the diagram, the architecture has these firewall features:

- All OCI clients use HTTPS to communicate with the server.
- The acquisition units enable only *outgoing* HTTPS connections; no ports are opened on the acquisition unit processes.



Note: If you install Insight on a Linux server, you can only use Cognos if the Data Warehouse is installed on a Windows server. For information about installing the Data Warehouse on Windows, refer to the *OnCommand Insight Installation Guide for Microsoft Windows*.

How Insight is used by administrators, managers, and planners

OnCommand Insight supplies information that is vital for storage administrators, managers, and storage architects to perform troubleshooting and analysis.

Experienced storage administrators use OnCommand Insight along with their network storage knowledge to accomplish these typical tasks:

- Manage the SAN and NAS environment.
- Work with SAN engineers on network concerns.
- Evaluate, test, and integrate new storage technologies into the environment.
- Troubleshoot performance issues, alerts, policy breaches, violations, and vulnerabilities.

Managers and network planners use OnCommand Insight to perform these business tasks:

- Capacity planning
- Develop project budgets and timelines.
- Evaluate and revise project plans to meet changing project demands.
- Manage project planning and expenses.
- Purchase hardware and software.
- Provide business reports for capacity management, charge back billing, right sizing, and service level agreements.

Where to find more information about OnCommand Insight

For comprehensive, up-to-date information about OnCommand Insight, use these resources.

- The OnCommand Insight Web page:
<http://www.netapp.com/us/products/management-software/oncommand-insight/>
- The OnCommand Insight documentation page:
<http://mysupport.netapp.com/documentation/productlibrary/index.html?productID=60983>
- The NetApp support site:
<http://mysupport.netapp.com>
- IBM Cognos documentation on the web:
<http://www.ibm.com/analytics/us/en/technology/cognos-software/>
- The NetApp automation storefront where you can download from an extensive collection of NetApp and User-community submitted report templates for OnCommand Insight.
<https://automationstore.netapp.com>
- OnCommand Insight Discussion Forum:
<https://forums.netapp.com/welcome>

For information available from the Reporting portal, you can access the OnCommand Insight On-line Help. The help includes access to the Data Warehouse database schema.

Installation prerequisites

Before you install OnCommand Insight, you must download the current software version, acquire the appropriate license, and set up your environment.

Before installing OnCommand Insight, ensure that you have the following:

- OnCommand Insight software files in the downloaded installation package for the current version
- A license to operate the downloaded OnCommand Insight version
- The minimum hardware and software environment
The current product might consume additional hardware resources (due to enhanced OnCommand Insight product functionality) that were not consumed with earlier versions of the OnCommand Insight product.
- A deployment plan that includes the hardware and network configurations for the OnCommand Insight Server, Data Warehouse and Reporting, remote acquisition units, and the Client
- Java 8 for the OnCommand Insight Java UI

Planning the deployment

To ensure a successful deployment, you must consider certain system elements before you install OnCommand Insight.

About this task

Planning your Insight deployment includes considering these system elements:

- Insight architecture
- Your network components to be monitored
- Insight installation prerequisites and server requirements
- Insight web browser requirements

Data source support information

As part of your configuration planning, you should ensure that the devices in your environment can be monitored by Insight. To do so, you can check the Data source support matrix for details about operating systems, specific devices, and protocols. Some data sources might not be available on all operating systems.

Location of the most up-to-date version of the Data Source Support Matrix

The OnCommand Insight Data Source Support Matrix is updated with each service pack release. The latest version of the document can be found at the NetApp Support Site:
mysupport.netapp.com/NOW/products/interoperability/.

Device identification and data source planning

As part of your deployment planning, you should collect information about the devices in your environment.

You need the following software, connectivity, and information about each device in your environment:

- IP address or hostname resolvable by the OCI server
- Login name and password
- Type of access to the device, for example, controller and management station
 - Note:** Read-only access will be sufficient for most devices, but some devices require administrator permissions.
- Port connectivity to the device depending on data source port requirements
- For switches, SNMP read-only community string (user ID or password to give access to the switches)
- Any third-party software required on the device, for example, Solutions Enabler.
- See the "Vendor-specific data source reference" in the web UI Help or in the *OnCommand Insight Configuration and Administration Guide* for more information on data source permissions and requirements.

Network traffic generated by OnCommand Insight

The network traffic that OnCommand Insight generates, the amount of processed data traversing the network, and the load that OnCommand Insight places on devices differ based on many factors.

The traffic, data, and load differ across environments based on the following factors:

- The raw data
- Configuration of devices
- Deployment topology of OnCommand Insight
- Different inventory and performance data source polling intervals, which can be reduced to allow for slow devices to be discovered or bandwidth to be conserved

The raw configuration data that OnCommand Insight collects can vary significantly.

The following example illustrates how the configuration data can vary and how traffic, data, and load are affected by many configuration factors. For example, you might have two arrays each having 1,000 disks:

- Array 1: Has 1,000 SATA disks all 1 TB in size. All 1,000 disks are in one storage pool, and there are 1,000 LUNs, all presented (mapped and masked) to the same 32 nodes in an ESX cluster.
- Array 2: Has 400 2-TB data disks, 560 600-GB FC disks, and 40 SSD. There are 3 storage pools, but 320 of the FC disks are used in traditional RAID groups. The LUNs carved on the RAID groups use a traditional masking type (symmaskdb), while the thin provisioned, pool-based LUNs use a newer masking type (symaccess). There are 600 LUNs presented to 150 different hosts. There are 200 BCVs (full block replica volumes of 200 of the 600 LUNs). There are also 200 R2 volumes, remote replica volumes of volumes that exist on an array in a different site.

These arrays each have 1,000 disks and 1,000 logical volumes. They might be physically identical in the amount of rack space they consume in the data center, and they might even be running the same firmware, but the second array is much more complex in its configuration than the first array.

Uninstalling MariaDB

You must uninstall MariaDB on the Insight or Data Warehouse servers before you install OnCommand Insight or the Data Warehouse; otherwise, you can not proceed with the installation. MySQL is not compatible with MariaDB. If you attempt an installation on either server without

removing MariaDB, the installation terminates with an error message instructing you to uninstall MariaDB.

Before you begin

You must have sudo privileges.

Steps

1. Log in to the Insight server.
2. Obtain a list of MariaDB components:


```
rpm -qa | grep mariadb
```
3. Type the following for each MariaDB component that is installed on the server:


```
yum remove component_name
```

Insight Server requirements

The Insight Server requires a specific operating system, specific amounts of memory, CPU cores, and disk space. You must adhere to these requirements to successfully install Insight.

Tip: A dedicated server is recommended. Do not install Insight on a server that has any other applications installed. Both physical and virtual servers are supported, provided that the product requirements are met.

You must have sudo permissions to install the OnCommand Insight Server software.

The dedicated server must meet your company's security standards and include these components:

- The SQL database that stores information about your SAN configuration
- The impact analysis and simulation engine
- The local acquisition unit

Important: Sizing for OnCommand Insight has multiple dependencies, such as data source type and data source size. Consequently, you should discuss and validate all sizing recommendations with a NetApp representative.

Component	Required
Operating system	<ul style="list-style-type: none"> • A computer running a licensed version of Red Hat Enterprise Linux 7 and that is running no other application-level software. A licensed version ensures that dependencies required by the installation are resolved automatically by the operating system. • You must uninstall MariaDB before installing Insight. <p>Note: Uninstalling MariaDB also removes the Postfix Mail Transport Agent.</p> <p>A dedicated server is recommended.</p>

Component	Required
Virtual machine (VM)	This component can also run on a virtual machine, provided that your environment allows for RAM reservations.
Memory and CPU	<p>For environments with up to 100 storage arrays, 5000 Fibre Channel switch ports, and 5000 virtual machines, use an 8 core 32 GB memory server. This is a general guideline.</p> <p>Note: If your environment is larger than this, contact your Sales Engineer for guidance.</p>
Available disk space	There should be 50 GB of free disk space in the <code>/var/lib</code> partition, and 25 GB of free disk space in the <code>/opt</code> and <code>/var/log</code> partitions. It is a best practice to mount <code>/opt</code> and <code>/var</code> on separate disks from the root file system (<code>/</code>).
Network	<p>Ethernet connection and ports:</p> <ul style="list-style-type: none"> • 100 Mbps or 1 Gbps Ethernet connection with dedicated (static) IP address and IP connectivity to all components in the SAN, including FC devices and remote acquisition units. • Port requirements for the OnCommand Insight Server process are 80, 443, 1090 through 1100, 3873, 8083, 4444 through 4446, 5445, 5455, 4712 through 4714, 5500, and 5501. • Port requirements for the acquisition process are 12123 and 5679. • Port requirement for MySQL is 3306. <p>Ports 443 and 3306 require external access through any firewall that is present.</p>
Permissions	Sudo permissions are required on the OnCommand Insight Server.
Remote connectivity	Internet connectivity to allow WebEx access or a remote desktop connection to facilitate installation and postinstallation support.
Accessibility	HTTP, HTTPS, or FTP access to the Internet is highly recommended.
HTTP or HTTPS servers	Apache HTTP servers or other HTTP and HTTPS servers should not compete for the same ports (80 and 443) as the OnCommand Insight server and should not start automatically. If they must listen to port 80 or 443, then you must configure the OnCommand Insight server to use other ports.

Data Warehouse server requirements

The Data Warehouse server must run on a computer that is compatible with established hardware and software requirements. You must ensure that Apache web server or reporting software is not already installed on this machine.

Component	Required
Operating system	Computer running Red Hat Enterprise Linux 7 This must be a dedicated server.
Virtual machine (VM)	None: optional
CPU	8 CPU core
Memory	40 GB RAM
Available Disk Space	There should be 50 GB of free disk space in the <code>/var/lib</code> partition and 25 GB of free disk space in the <code>/opt</code> and <code>/var/log</code> partitions.
Network	<ul style="list-style-type: none"> • 100 Mbps or 1 Gbps Ethernet connection • Static IP address • For the OnCommand Insight DWH server process, ports 80, 443, 1098, 1099, 3873, 8083, and 4444 through 4446 • For the reporting engine, ports 1527, 9362, 9300, and 9399 • For MySQL, port 3306

Remote Acquisition Unit server requirements

You must install a Remote Acquisition Unit (RAU) to acquire information from SAN devices that are behind a firewall, at a remote site, on a private network, or in different network segments. Before you install the RAU, you should ensure that your environment meets RAU operating system, CPU, memory, and disk space requirements.

Component	Requirement
Operating system	Computer running Red Hat Enterprise Linux 7 A dedicated server is recommended.
CPU	4 CPU cores
Memory	16 GB RAM
Available disk space	40 GB
Network	100 Mbps /1 Gbps Ethernet connection, static IP address, IP connectivity to all FC devices, and a required port to the OnCommand Insight server (80 or 443).
Permissions	Sudo permissions on the RAU server

Ethernet Monitoring Unit requirements

The Ethernet Monitoring Unit is a hardware server dedicated to monitoring NFS traffic in an OnCommand Insight environment. The minimum system requirements for Ethernet Monitoring Units and the supported NICs are listed below.

Server requirements

Component	Required
Hardware	Rack-mounted chassis with redundant power supplies
Operating system	Red Hat Enterprise Linux (RHEL) 7.2 operating system
CPU	Two 2.2 GHz 8-core hyper-threading CPUs
Memory	32 GB RAM
Available disk space	240 GB hard drive
Network	2 - 10GbE NICs for monitoring NFS traffic (from supported list)
	2 - Short Range 10GbE Gigabit Interface Converter (GBIC)
	1 - 1GbE interface for management with the OnCommand Insight server
Permissions	Sudo permissions on the Server.

Supported network interface cards

The Network Interface Cards (NICs) that are supported for monitoring NFS traffic are listed in the table below.

Manufacturer	Common Linux ethernet driver	Model designation
Cisco	Enic	UCS Virtual Interface Card
Intel	e1000	82540, 82545, 82546
Intel	e1000e	82571,82572, 82573,82574, 82583, ICH8, ICH9, ICH10, PCH1, PCH2, I217, I218
Intel	igb	82575, 82576, 82580, I210, I211, I350, I354, DH89xx
Intel	ixgbe	82598,82599, X540, X550
Intel	i40e	X710, XL710, X722
Intel	fm10k	FM10420
Qlogic	bnx2x	578xx

Anomaly detection requirements

The anomaly detection software requires a specific operating system, amounts of memory, CPU cores, and disk space. You must adhere to certain requirements to successfully install the anomaly detection software.

Component	Required
Operating system	<p>A computer running a licensed version of Red Hat Enterprise Linux 7 that is running no other application-level software.</p> <p>A licensed version ensures that dependencies required for the installation are resolved automatically by the operating system.</p> <p>A dedicated server is recommended.</p>
Virtual machine (VM)	Anomaly Detection can also run on a virtual machine, provided that your environment allows for RAM reservations.
Memory and CPU	An 8 core 32 GB memory server.
Available disk space	<p>The server requires 200 GB of free disk space. 5 GB of free disk space must be available in the <code>/var/lib</code> partition and 25 GB of free disk space must be available in the <code>/opt</code> and <code>/var/log</code> partitions.</p> <p>It is a best practice to mount <code>/opt</code> and <code>/var</code> on separate disks from the root file system (<code>/</code>).</p>
Permissions	Sudo permissions are required to install the anomaly detection software.
Network	<p>The Insight server on which you want to install the anomaly detection software must reside on the same network, or at least in the same site or Data Center as the server that is running the anomaly detection engine.</p> <p>The anomaly detection software does not support configuration in a Wide-Area Network (WAN).</p>
Prerequisites	<p>You must be using OnCommand Insight 7.2 with a valid Perform license.</p> <p>You must have the IP address of the Insight server on which you want to install the anomaly detection software.</p> <p>You must have an alternate port number on the Insight server if you do not accept the default port.</p> <p>TCP ports 8080 and 9200 must be open on the VM.</p> <p>You must have a user name and password for an account with Administrator privileges on the VM.</p> <p>You must enter two backslashes (<code>company\\user</code>) for a user name containing a single backslash (<code>company\user</code>).</p> <p>A user name cannot contain a “t” following a backslash (<code>company\tom</code>).</p>

Important: You must discuss and validate all sizing recommendations with a NetApp representative.

Insight Java UI requirements

Because the OnCommand Insight Java UI Client operates in a Java run-time environment on your computer, it is important that you ensure that your environment meets specific operating system, CPU, and memory requirements.

To access the Java UI Client, you must install the Java run-time environment (JRE) on your computer.

Component	Requirement
Operating system	Any Java 8-enabled machine. The Java-based OnCommand Insight Client supports Windows, Macintosh, and Linux platforms.
CPU	1.8 GHz or faster is required.
Memory	2 GB or more is recommended. If you are monitoring the performance of complex data centers (over 50,000 switch ports), the server requires more memory. This is applicable only if the Perform license is installed.

Browsers supported by OnCommand Insight

The OnCommand Insight web UI is browser-based and can operate on several different browsers.

Insight supports the following browsers:

Insight component	Requirement
Insight web UI	Microsoft Internet Explorer 11 and later Mozilla Firefox 37 and later Google Chrome 41 and later Edge 25 and later
Reporting Connection (IBM Cognos)	Microsoft Internet Explorer 9 and later Mozilla Firefox ESR 38 and future fix packs Google Chrome 41 and future versions, releases, and fix packs

Insight installation instructions

Installation requires installing several OnCommand Insight components, including Client, Data Warehouse, and Anomaly Detection.

The installation includes the following major tasks:

- Downloading the OnCommand Insight installer
- Installing OnCommand Insight Server
- Installing licenses
- Optionally, installing DWH and Reporting (must be installed on a separate machine or virtual machine. Reporting requires Microsoft Windows.)
- Optionally, installing a remote acquisition unit (RAU), which acquires information from your device resources that reside behind a firewall, are located at a remote site, or are on a private network
- Optionally, installing the Anomaly Detection engine (must be installed on a separate machine or virtual machine.)

After installation, you must configure Insight to acquire information about your environment. The tasks required are described in the *OnCommand Insight Configuration and Administration Guide*.

Downloading the OnCommand Insight installer

You can download the OnCommand Insight installer from the NetApp Support Site.

Before you begin

You must have a login to the NetApp Support Site at mysupport.netapp.com.

Additionally, you must have an unzip utility with which to open the installation .ZIP files.

Steps

1. Log in to the server on which you want to install OnCommand Insight.
2. Download the installation file from the NetApp Support site.

Installing OnCommand Insight components

You install the OnCommand Insight software by running a script on the command line in which the installation is self-contained; however, two of the typical OnCommand Insight elements used to operate OnCommand Insight, the OnCommand Insight remote acquisition unit (RAU) and the OnCommand Insight Server must be installed separately. This installation includes both the web UI and Java UI.

You can install any number of additional RAUs to add remote data centers and private networks to the SAN devices that are managed by OnCommand Insight.

Installing the OnCommand Insight Server

OnCommand Insight Server is installed by using the command line.

Before you begin

You must have completed all of the installation prerequisites.

Steps

1. Log in to the Insight server using an account with sudo privileges.
2. Navigate to the directory on the server where the installation files are located and type the following command:

```
unzip oci-7.2.0.0.40-linux-x86_64.zip
```

Ensure that you check the version number of the installation file; the version number might be different than the one shown in the command.

3. You can view syntax, command arguments, and parameter usage for `oci-install.sh`:

```
sudo ./oci-7.2.0.0.40-linux-x86_64/oci-install.sh --help
```

4. Run the installation script:

```
sudo ./oci-7.2.0.0.40-linux-x86_64/oci-install.sh
```

5. Read the License Agreement, accept it, and follow the prompts.

Result

After you answer all the prompts, the installation begins and should take approximately 10 minutes, depending on the applications installed.

Installing OnCommand Insight Data Warehouse

The installation is self-contained and includes the elements required to run and operate OnCommand Insight Data Warehouse (DWH).

Before you begin

You must have completed all of the installation prerequisites.

About this task

Data Warehouse has Cognos reporting capabilities. If you install Insight on a Linux server, you can use these capabilities, however, only if you install the Data Warehouse on a Windows server. For information about installing the Data Warehouse on Windows and Cognos reporting capabilities, refer to the *OnCommand Insight Installation Guide for Microsoft Windows*.

Steps

1. Log in to the Data Warehouse server using an account with sudo privileges.
2. Navigate to the directory on the server where the installation files are located and type the following command:

```
unzip oci-dwh-7.2.0.0.40-linux-x86_64.zip
```

Ensure that you check the version number of the installation file; the version number might be different than the one shown in the command.

3. You can view syntax, command arguments, and parameter usage for `oci-install.sh` before you begin the installation:

```
sudo ./oci-dwh-7.2.0.0.40-linux-x86_64/oci-install.sh --help
```

4. Run the installation script:

```
sudo ./oci-dwh-7.2.0.0.40-linux-x86_64/oci-install.sh
```

5. Read the License Agreement, accept it, and follow the prompts.

Result

After you answer all the prompts, the installation begins and should take approximately 10 minutes, depending on the applications installed.

Installing a Remote Acquisition Unit

You can install one or more Remote Acquisition Units (RAUs) in your OnCommand Insight environment. Acquisition units run in the network that accesses (through modules called *data sources*) and collect data from different devices in the data center.

Before you begin

You must have completed all of the installation prerequisites.

At least one port must be open and available between the RAU server and the OnCommand Insight Server to forward change information to the server. If you are unsure about this, validate it by opening a Web browser on the RAU computer and directing it to the OnCommand Insight server:

```
https://< OnCommand Insight Server hostname >:< acquisition_port >
```

The acquisition port defaults to 443, but it might have changed during the server installation. If the connection is successful, you see a OnCommand Insight response page, indicating an open and available port between the RAU and the OnCommand Insight server.

Steps

1. Log in to the RAU server using an account with `sudo` privileges.
2. Navigate to the directory on the server where the installation files are located and type the following command:

```
unzip oci-rau-7.2.0.0.40-linux-x86_64.zip
```

Ensure that you check the version number of the installation file; the version number might be different than the one shown in the command.

3. You can view syntax, command arguments, and parameter usage for `oci-install.sh`:

```
sudo ./oci-rau-7.2.0.0.40-linux-x86_64/oci-install.sh --help
```

4. Run the installation script:

```
sudo ./oci-rau-7.2.0.0.40-linux-x86_64/oci-install.sh
```

5. Read the License Agreement, accept it, and then follow the prompts.

After you answer all the prompts, the installation begins and should take approximately 10 minutes, depending on the applications installed.

Validating the remote acquisition unit installation

To validate proper installation of the Remote Acquisition Unit, you can view the status of the Remote Acquisition Units connected to your server.

Steps

1. On the Insight toolbar, click **Admin**.
2. Click **Acquisition Units**.
3. Verify that the new Remote Acquisition Unit was registered correctly and that it has a Connected status.

If it does not, you must contact technical support.

Installing the anomaly detection software

OnCommand Insight contains software that applies machine-learning anomaly detection to your Insight data. You can install this software separately from other OnCommand Insight components.

Before you begin

You must have completed all of the installation prerequisites.

Steps

1. Log in to the anomaly detection server using an account with sudo privileges.
2. Copy the `.zip` file that contains the anomaly detection software to the Linux server.
3. Extract the files to the `oci-prelert-<version>-linux-x86_64` directory.
4. Navigate to the directory where the installer is located:

```
cd oci-prelert-<version>-linux-x86_64
```

5. Install the anomaly detection software:

```
sudo ./oci-prelert-install.sh
```

During the installation, you are prompted to enter the server name or IP address of the OnCommand Insight server, and the user name and password for an account with Administrator privileges.

You can remove the anomaly detection software using the following command:

```
sudo /usr/bin/oci-prelert-uninstall.sh
```

Result

The software is automatically registered with the instance of OnCommand Insight that is specified in the installation. The software can communicate only with the OnCommand Insight instance that it is registered with, and only one instance of the software can be registered with an OnCommand Insight server.

If you restart either the server that is running the anomaly detection software or the Insight server, the anomaly detection process restarts automatically.

Installing an Ethernet Monitoring Unit

You can install Ethernet Monitoring Units (EMU) to monitor network packets in your OnCommand Insight environment.

Before you begin

You must have completed all of the installation prerequisites.

Steps

1. Log in to the EMU server using an account with sudo privileges.
2. Navigate to the directory on the server where the installation files are located and type the following command:


```
unzip oci-ethernet-<version>-linux-x86_64.zip
```

 Where <version> is the version number specified in the filename you downloaded.
3. You can view syntax, command arguments, and parameter usage for `oci-install.sh`:


```
sudo ./oci-ethernet-<version>-linux-x86_64/oci-install.sh --help
```
4. Run the installation script:


```
sudo ./oci-ethernet-<version>-linux-x86_64/oci-install.sh
```
5. Read the License Agreement and accept it.
6. Answer each of the prompts:
 - **OnCommand Insight Server Name or IP Address** - hostname or IP address to identify the OnCommand Insight Server. The EMU uses this name/IP to open a communications link with the server. If you specify a hostname, make sure it can be resolved through DNS.
 - **Acquisition Unit Name** - unique name that identifies the EMU.
 - **OnCommand Insight Secured Remote Acquisition Port (HTTPS)** - Port used by the EMU to send environment change information to the OnCommand Insight server. This setting should match the value entered when installing the OnCommand Insight server and must be the same on all EMUs.
 - **Ethernet PAS output directory** - Enter the folder for PAS output.
 - **Ethernet PAS interfaces to monitor** - Enter the interfaces whose traffic you wish to monitor.
 - **Enable jumbo packets** - Choose whether to enable jumbo packets.

After you answer all the prompts, the installation begins and should take approximately 10 minutes, depending on the applications installed.

Checking the installation

After you complete the installation, the installation directory is located in `/opt/netapp/oci`. You can open Insight in a supported browser to check the installation. You might also want to check the Insight log files.

When you first open Insight, the license setup page opens. After you enter the license information, you must set up the data sources. See the *OnCommand Insight Configuration and Administration*

Guide for information about entering data source definitions and setting up Insight users and notifications.

If you have experienced installation problems, contact technical support and provide the requested information.

Verifying that new Insight components are installed

After installation, you should verify the existence of the new components on your server.

Steps

1. To display a list of services that are currently operating on the server you are logged in to, type:

```
sudo oci-service.sh status all
```
2. Depending on the server you are logged in to, check for the following Insight services in the list and ensure they have a status of “running”.
 - Insight server: jboss, acquisition, mysql, cassandra
 - Data Warehouse server: jboss, mysql
 - Remote Acquisition server: acquisition

Result

If these components are not listed, contact technical support.

Insight logs

Insight supplies many log files to assist you with research and troubleshooting. The available logs are listed in the log directory. You might want to use a log monitoring tool, such as BareTail, to display all of the logs at one time.

The log files are located in the `/var/log/netapp/oci` directory. The data files are located in `/var/lib/netapp/oci`.

Troubleshooting installations

OnCommand Insight installations are generally managed through the installation wizards. However, customers might experience problems during upgrades or with conflicts due to computer environments.

You should also be certain that you install all of the necessary OnCommand Insight licenses for installing the software.

Missing licenses

Different licenses are required for different OnCommand Insight functionality. What you see displayed in OnCommand Insight is controlled by your installed licenses. Refer to the OnCommand Insight licenses section for information on functionality controlled by each license.

Refer to the OnCommand Insight licenses section for information on functionality controlled by each license.

Submitting an online technical support request

If you have problems with the Insight installation, as a registered support customer, you can submit an online technical support request.

Before you begin

Using your corporate email address, you must register as a support customer to obtain online support services. Registration is performed through the support site (<http://support.netapp.com>).

About this task

To assist customer support in solving the installation problem, you should gather as much information as possible, including these items:

- Insight serial number
- Description of the problem
- All Insight log files
- Screen capture of any error messages

Steps

1. Create a `.zip` file of the information you gathered to create a troubleshooting package.
2. Log in to the support site at mysupport.netapp.com and select **Technical Assistance**.
3. Click **Open a Case**.
4. Follow the instructions to your package of data.

After you finish

You can use **Check Case Status** on the Technical Assistance page to follow your request.

Upgrading Insight

When a new version of OnCommand Insight is available, you might want to upgrade to take advantage of new features and fixes to issues. You must upgrade the Insight server and Data Warehouse (DWH) separately.

Important: You should not store any automatic or manual backups in Insight installation directories, because the entire installation folder is overwritten during the upgrade process. If you have stored backup files in any of those directories, you must move your backups to a different location before you perform any upgrade or uninstall process.

Upgrading Insight Server software

You can check for OnCommand Insight server updates after you log into the server.

Steps

1. On the Insight toolbar, click the **Help** icon.
2. Select **Check for updates**.
3. Click **OK** if the
Version is up to date
message displays.
4. If a newer version is detected, click the **download here** link in the message box.
5. In the **Download** page, click **download**. Note the download directory location.
You can also download the newer version from the NetApp support site.
6. Log in to the Insight server using an account with sudo privileges.
7. Navigate to the download directory and type the following command:

```
unzip oci-<version>-linux-x86_64.zip
```


Ensure that you check the version number of the installation file; the version number might be different than the one shown in the command.
8. You can view syntax, command arguments, and parameter usage for `oci-install.sh`:

```
sudo ./oci-<version>-linux-x86_64/oci-install.sh --help
```
9. Run the installation script:

```
sudo ./oci-<version>-linux-x86_64/oci-install.sh
```
10. Accept the License Agreement and follow the prompts.

Upgrading from an earlier version of Insight to 7.2

To upgrade from an earlier version of OnCommand Insight to 7.2, you must migrate your Windows installation to Linux.

Migrating from Windows to Linux

To use Insight on Linux when you have an existing Windows installation, you must perform a migration. You must perform this procedure on both the Insight server and Data Warehouse components.

Steps

1. Back up your current Insight installation on your server.
Refer to the *OnCommand Insight Configuration and Administration Guide* for information about how to back up the OCI database.
2. Install Insight for Linux.
3. Restore the database for your previous version.
Refer to the *OnCommand Insight Configuration and Administration Guide* for information about how to restore the OCI database.
4. Uninstall your previous version of Insight for Windows.

Related concepts

[Installing OnCommand Insight components](#) on page 17

[Uninstalling OnCommand Insight](#) on page 27

Upgrading Insight to a version later than 7.2

You can upgrade OnCommand Insight to a version later than 7.2 (for example, 7.2.x).

About this task

You must perform this procedure on both the Insight server and Data Warehouse components.

Steps

1. Log in to the server where you want to install Insight.
2. Download the installation file from the NetApp Support Site.
3. Navigate to the download directory and type the following command:

```
unzip oci-<version>-linux-x86_64.zip
```

Ensure that you check the version number of the installation file; the version number might be different than the one shown in the command.
4. Run the installation script.

```
sudo ./oci-<version>-linux-x86_64/oci-install.sh
```
5. Accept the license agreement and follow the prompts.
The installer prompts you to backup the database. If you decide to create a backup, Insight stores the backup in `/var/log/netapp/oci/backup`.

Related concepts

[Installing OnCommand Insight components](#) on page 17

Related tasks

[Downloading the OnCommand Insight installer](#) on page 17

Upgrading the anomaly detection engine

Newer releases of OnCommand Insight may contain a new release of the anomaly detection engine. In order to preserve anomaly detection configuration data and anomaly score data following an upgrade of the software, you must follow these instructions. Refer to the release notes to determine whether your Anomaly detection needs to be upgraded.

Before you begin

- The system must be running OnCommand Insight 7.2 or later.
- The system must be running version 1.4.x or later of the anomaly detection engine.

About this task

Attention: Failure to execute the steps of this task in sequential order might result in the loss of the anomaly detection configuration data and anomaly score data stored on the Insight server.

Steps

1. Back up the existing version of OnCommand Insight to preserve the anomaly detection registrations, application monitoring, anomaly history, and so on.
2. Shut down the OnCommand Insight server.
Attention: Failure to shut down the OnCommand Insight server before uninstalling the anomaly detection software results in the loss of the anomaly detection configuration data and anomaly score data stored on the Insight server.
3. Uninstall the anomaly detection software:

```
sudo /usr/bin/oci-prelert-uninstall.sh
```

The system displays a “failure to unregister” message. You can ignore this message.
4. Install the newer version of OnCommand Insight by using the upgrade process.
See the OnCommand Insight Installation Guide for instructions.
5. Restart the OnCommand Insight server.
The system reports that applications are “failing to monitor”. You can ignore these failures.
6. Install the new version of the anomaly detection software on a system that has the same IP address as the previous machine that was running the anomaly detection software:

```
sudo /usr/bin/oci-prelert-install.sh
```

The anomaly detection software is successfully registered with the OnCommand Insight server.

Uninstalling OnCommand Insight

You can uninstall the OnCommand Insight components if needed. You must uninstall the OnCommand Insight components separately.

Uninstalling the OnCommand Insight Server

You can uninstall the OnCommand Insight server if needed.

Before you begin

Best practice: before uninstalling Insight, back up the OnCommand Insight database.

Steps

1. Log in to the OnCommand Insight server using an account with sudo privileges.
2. Ensure that any OnCommand Insight windows are closed.
3. You can view syntax, command arguments, and parameter usage for `oci-uninstall.sh` by entering the following command:

```
sudo /usr/bin/oci-uninstall.sh --help
```

A normal uninstall does not remove the Insight license or any daily backups. To remove the entire installation, use the `--purge` option with the `oci-install.sh` command.

4. Type the following command:

```
sudo /usr/bin/oci-uninstall.sh
```

Uninstalling Data Warehouse

You can uninstall Data Warehouse if needed.

Before you begin

Back up the current version of the OnCommand Insight Data Warehouse (DWH) database.

About this task

Uninstalling the OnCommand Insight Data Warehouse permanently deletes all previously collected data.

Steps

1. Log in to the Data Warehouse server using an account with sudo privileges.
2. Ensure that any OnCommand Insight windows are closed.
3. You can view syntax, command arguments, and parameter usage for `uninstall.sh` by entering the following command:

```
sudo /usr/bin/oci-uninstall.sh --help
```

4. Type the following command:

```
sudo /usr/bin/oci-uninstall.sh
```

Uninstalling a Remote Acquisition Unit

You can uninstall a Remote Acquisition Unit when you no longer need it.

Steps

1. Log in to the Remote Acquisition Unit server using an account with sudo privileges.
2. Ensure that any OnCommand Insight windows are closed.
3. You can view syntax, command arguments, and parameter usage for `uninstall.sh` by entering the following command:

```
sudo /usr/bin/oci-uninstall.sh --help
```

4. Type the following command:

```
sudo /usr/bin/oci-uninstall.sh
```

Copyright information

Copyright © 1994–2016 NetApp, Inc. All rights reserved. Printed in the U.S.

No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark information

Active IQ, AltaVault, Arch Design, ASUP, AutoSupport, Campaign Express, Clustered Data ONTAP, Customer Fitness, Data ONTAP, DataMotion, Fitness, Flash Accel, Flash Cache, Flash Pool, FlexArray, FlexCache, FlexClone, FlexGroup, FlexPod, FlexScale, FlexShare, FlexVol, FPolicy, Fueled by SolidFire, GetSuccessful, Helix Design, LockVault, Manage ONTAP, MetroCluster, MultiStore, NetApp, NetApp Insight, OnCommand, ONTAP, ONTAPI, RAID DP, RAID-TEC, SANSscreen, SANshare, SANtricity, SecureShare, Simplicity, Simulate ONTAP, Snap Creator, SnapCenter, SnapCopy, SnapDrive, SnapIntegrator, SnapLock, SnapManager, SnapMirror, SnapMover, SnapProtect, SnapRestore, Snapshot, SnapValidator, SnapVault, SolidFire, SolidFire Helix, StorageGRID, SyncMirror, Tech OnTap, Unbound Cloud, and WAFL and other names are trademarks or registered trademarks of NetApp, Inc., in the United States, and/or other countries. All other brands or products are trademarks or registered trademarks of their respective holders and should be treated as such. A current list of NetApp trademarks is available on the web.

<http://www.netapp.com/us/legal/netapptmlist.aspx>

How to send comments about documentation and receive update notifications

You can help us to improve the quality of our documentation by sending us your feedback. You can receive automatic notification when production-level (GA/FCS) documentation is initially released or important changes are made to existing production-level documents.

If you have suggestions for improving this document, send us your comments by email.

[*doccomments@netapp.com*](mailto:doccomments@netapp.com)

To help us direct your comments to the correct division, include in the subject line the product name, version, and operating system.

If you want to be notified automatically when production-level documentation is released or important changes are made to existing production-level documents, follow Twitter account @NetAppDoc.

You can also contact us in the following ways:

- NetApp, Inc., 495 East Java Drive, Sunnyvale, CA 94089 U.S.
- Telephone: +1 (408) 822-6000
- Fax: +1 (408) 822-4501
- Support telephone: +1 (888) 463-8277

Index

64-bit server
 requirement [11](#)

A

acquisition units
 remote [19](#)
 acquisition units, remote
 requirements [13](#)
 administrators
 experience level [7](#)
 anomaly detection
 requirements [15](#)
 anomaly detection engine
 upgrading [26](#)
 anomaly detection software
 installing [20](#)
 architecture
 data warehouse [6](#)
 firewalls [6](#)
 OnCommand Insight [5](#)
 architecture components, OnCommand Insight
 acquisition units [5](#)
 Data Warehouse [5](#)
 HTML5 web-based UI [5](#)
 Java UI [5](#)
 OnCommand Insight Server [5](#)

B

best practices
 Insight server requirements [11](#)
 naming sites [18](#)
 browsers
 supported [16](#)

C

Cognos Reporting Connection, IBM
 browser requirement [16](#)
 comments
 how to send feedback about documentation [31](#)
 components, OnCommand Insight architecture
 acquisition units [5](#)
 Data Warehouse [5](#)
 HTML5 web-based UI [5](#)
 Java UI [5](#)
 OnCommand Insight Server [5](#)
 customer support
 online installation problems report [23](#)

D

data sources
 planning [9](#)
 support matrix [9](#)
 Data Warehouse

architecture [6](#)
 installing [18](#)
 server requirements [13](#)
 Data Warehouse (DWH)
 uninstalling [27](#)
 databases
 SQL [11](#)
 documentation
 how to receive automatic notification of changes to
[31](#)
 how to send feedback about [31](#)
 DWH
See Data Warehouse

E

ethernet monitoring units
 installing [21](#)
 requirements [14](#)

F

feedback
 how to send comments about documentation [31](#)
 files
 installation [17](#)
 files, log
 locating and displaying [22](#)
 firewalls
 architecture [6](#)

I

information
 how to send feedback about improving
 documentation [31](#)
 Insight
 automatic server updates [24](#)
 log files [22](#)
 migrating from Windows to Linux [25](#)
 overview [5](#)
 uninstalling [27](#)
 upgrading [24](#)
 Insight 7.2
 upgrading from an earlier version [24](#)
 upgrading to a later version [25](#)
 Insight server
 uninstalling [27](#)
 Insight, OnCommand
 supported browsers [16](#)
 installation
 checking [21](#)
 checking for updates [24](#)
 downloading the installation file [17](#)
 of anomaly detection software [20](#)
 planning [9](#)
 prerequisites [9](#)
 troubleshooting [22, 23](#)

- installation prerequisites
 - uninstalling MariaDB [10](#)
- installing
 - Data Warehouse [18](#)
 - ethernet monitoring units [21](#)
 - Insight [17](#)
 - OnCommand Insight Server [18](#)
 - remote acquisition units [19](#)
- IP addresses
 - required for data sources [9](#)

J

- Java
 - supported version [9](#)
- Java UI
 - Client requirements [16](#)
 - installation [17](#)

L

- licenses
 - missing [22](#)
- log files
 - locating and displaying [22](#)

M

- machine-learning anomaly detection software
 - installing [20](#)
- Macintosh
 - requirements [16](#)
- MariaDB
 - uninstalling [10](#)
- migrating
 - from Windows to Linux [25](#)
- MySQL
 - disk space requirements [11](#)

N

- network
 - traffic generated [10](#)

O

- OCI
 - See* OnCommand Insight
- OnCommand Insight
 - installation prerequisites [9](#)
 - installing [17](#)
 - overview [5](#)
 - server requirements [11](#)
 - supported browsers [16](#)

P

- passwords
 - required for data sources [9](#)
- performance analysis
 - skills required [7](#)

- permissions
 - administrator [18](#)
- planning
 - data sources to be monitored [9](#)
 - Insight installation [9](#)
 - your data source support [9](#)
- ports
 - Data Warehouse and reporting [13](#)
- prerequisites
 - OnCommand Insight installation [9](#)

R

- RAU
 - installation requirements [13](#)
 - See also* remote acquisition unit
- remote acquisition unit
 - installation element [17](#)
- Remote Acquisition Unit
 - uninstalling [28](#)
 - validating installation [20](#)
- remote acquisition units
 - installing [19](#)
- report templates
 - NetApp and user community developed [8](#)
- reporting
 - server requirements [13](#)
- Reporting Connection, IBM Cognos
 - browser requirement [16](#)
- requirements
 - browsers [16](#)
 - Data Warehouse server [13](#)
 - ethernet monitoring units [14](#)
 - Java [9](#)
 - Java UI Client [16](#)
- requirements to install
 - anomaly detection [15](#)

S

- security
 - dedicated Insight server [11](#)
 - firewall architecture [6](#)
 - your company standard for server [11](#)
- servers
 - automatic Insight updates [24](#)
 - ethernet monitoring unit requirements [14](#)
 - installing OnCommand Insight [18](#)
 - OnCommand Insight [17](#)
 - remote acquisition unit requirements [13](#)
 - verify installation [22](#)
 - your security standard [11](#)
- sizing
 - server requirements [11](#)
- software, anomaly detection
 - installing [20](#)
- starting
 - net monitoring unit [21](#)
 - remote acquisition unit [19](#)
- suggestions
 - how to send feedback about documentation [31](#)
- support

- online installation problems report [23](#)
- system architecture
 - OnCommand Insight [5](#)

T

- troubleshooting
 - missing licenses [22](#)
 - support report [23](#)
- Twitter
 - how to receive automatic notification of documentation changes [31](#)

U

- uninstalling
 - Data Warehouse [27](#)
 - Insight [27](#)
 - Insight server [27](#)
 - MariaDB [10](#)
 - Remote Acquisition Unit [28](#)
- upgrading
 - anomaly detection engine [26](#)
 - automatic updates [24](#)

- from an earlier version than 7.2 [24](#)
- Insight [24](#)
- to a later version than 7.2 [25](#)

- users
 - experience level [7](#)

V

- verifying
 - installed Insight services [22](#)
- VM
 - for operating system [11](#)

W

- web site resources
 - IBM Cognos documentation [8](#)
 - NetApp automation storefront [8](#)
 - OnCommand Insight documentation [8](#)
 - OnCommand Insight web page [8](#)
- web UI
 - access data source support matrix [9](#)
 - installation [17](#)